

**Fw: UEC Option 2(c)****Stacey Dwyer** to: Philip Dellinger, Ray Leissner, Jose Torres, Wren Stenger

09/14/2012 09:06 AM

Cc: Ann Codrington, Ronald Bergman

From: Stacey Dwyer/R6/USEPA/US
To: Philip Dellinger/R6/USEPA/US@EPA, Ray Leissner/R6/USEPA/US@EPA, Jose Torres/R6/USEPA/US@EPA, Wren Stenger/R6/USEPA/US@EPA
Cc: Ann Codrington/DC/USEPA/US@EPA, Ronald Bergman/DC/USEPA/US@EPA

----- Forwarded by Stacey Dwyer/R6/USEPA/US on 09/14/2012 08:53 AM -----

From: Harry Anthony <hanthony@uraniumenergy.com>
To: Sam Coleman/R6/USEPA/US@EPA, William Honker/R6/USEPA/US@EPA, Stacey Dwyer/R6/USEPA/US@EPA
Cc: Ben Klein <klein@heatherpodesta.com>, Craig Holmes <pommelhouse@sbcglobal.net>
Date: 09/14/2012 08:35 AM
Subject: UEC Option 2(c)

SamBill/Stacey,

After last Friday's meeting in Austin we revisited Stacey's suggestion addressing the corner section of land adjacent and across the street from the Church. We checked our database and discovered that bore holes had previously been drilled along the road opposite the church. From that information we constructed a cross-section newly labeled A-A'. Attached please find a Google areal photo of the Church (plat) and surrounding land with the bore hole locations that were previously drilled in years past. Also attached is a newly constructed cross section of sand and aquitard intervals illustrating the existing fault between bore holes 39 and 45. Finally a brief document describing the sequence and the impossibility that water from the "B Sand" could ever migrate up along the fault because the illustration clearly demonstrates that confining clays exist sealing the pathway between Sand B to Sand A within the graben.

We would be delighted to discuss this information with you at your convenience.

At last week's meeting in Friday I recall that you were expecting a decision from Goliad by today. Regardless as to their decision on working together in the future, I believe it's time that a date be set to complete the concurrence of the Aquifer Exemption. I will be calling you later this morning to discuss with you how we can cross the finish line.

Best regards,

Harry

Harry L. Anthony, IV PE | Chief Operating Officer - Director

Uranium Energy Corp.

Direct: 361-888-8235 ext 224

Fax: 361-888-5041

Cell: 361-522-8880



NYSE MKT: UEC | www.uraniumenergy.com



A-A' Note.pdf



XSection_A-A'_SouthFault_BW.pdf



CrossSectionA-A'Locations.pdf